



D125 NVS is a night vision generation generation of the I + Belarusian company Dipol. A modern night-vision device with extremely small dimensions and impressive possibilities. Constant 1x magnification, large viewing angle and image resolution from 40 lines / mm. Included with spotting adapter and reduction rings Dipol D125 is a multifunctional device that can be used as:

- an independent night vision device for observation
- night vision device connected to the head mask
- night vision device combined with a telescope - thanks to a set of adapters it is possible to fit almost any eyepiece with a telescope, such a set can be used on any firearm, pneumatic (air rifle) or ASG

D125 provides recognition of the human figure at a distance of 320 m at the Moon's quad, when working in total darkness (dense forest, interiors of buildings) this distance is reduced to about 150 m. D125 is equipped with an infrared emitter, whose use is recommended for to improve the image quality of the device in difficult lighting conditions. It is also possible to buy an external laser emitter with a power of 100 mW. Its use greatly improves image quality and the range of the device itself. This night vision is powered by two generally available LR1 batteries, which guarantee up to 30 hours of work. Dipol D125 was made of aviation aluminum, and the sensitive areas of the housing were additionally covered with rubber. The manufacturer has equipped this night vision device with an extremely important external light sensor, which automatically switches off the D125 when the device is exposed to acute daylight or artificial light, protecting the delicate internal system from damage. The set includes the following items:

- D125 NVS night vision monocular
- footer / adapter for IR L2 backlight
- telescope adapter connector
- a set of reduction rings
- 2 LR-1 batteries
- instruction Polish + warranty card

Technical parameters

- Generation: 1+
- IR illuminator: built-in, diode (also available laser light)
- Control: analog
- Zoom: 1x (without magnification)
- Diameter of the lens: 20 mm
- Focal length of the lens: 20 mm

F = 26 mm • Resolution: 40 lines / mm • Detection range: 300 m (detection of a man at the moonlight quarter) • Field of view: 40 ° • Focus range (Diopter): +/- 4 • Focus range: from 0.25m to infinity • Power supply: two 3V LR1 batteries (included) • Temperature range: from -40 to + 40 ° C • Working time without changing the power source: up to 30 hours (without IR, 20 ° C) • Dimensions: 136 x 47 x 70 mm • Weight: 300 g Additional information DURABLE AND LIGHTWEIGHT ALUMINUM ALLOY BODY PROVIDES HIGH STRUCTURE RESISTANCE, AND THE ADDITIONAL GUM COVER MAKES THAT THE LIGHTBOOK IS CLEARLY IN HANDS COMFORTABLE LOCKED CONTROL BUTTONS ALLOW THE FAST ON AND OFF THE BICYCLE AND THE BUILT-IN BATHLIGHT DIODES ON THE CASE, INDICATE CURRENT DEVICE MODE (ON / OFF, IR LED ON / OFF) A BUILT-IN LED DISTRIBUTION ENABLES CONDUCTING OBSERVATIONS EVEN IN FULL DARK CONDITIONS; ILLUMINATOR HAS A REGULATION OF KTA VISKA THE PARTITION LOCATED ON THE BODY IS LIGHTED IN THE CASE OF EXCEEDING THE LIMIT LIGHT, CHRONIC SO THE ELECTRONIC FROM THE NECTAR BEFORE DAMAGE Usage forestry hunting sailing nature fishing Warranty 12 months for the transducer, 24 months for other elements Additional photos (in the set: adapter for the telescope with reduction rings) (optional, separately available, monocular assembly per head) >> FREQUENTLY ASKED QUESTIONS << Question : What is the difference between the 1 and 2 generation night vision devices? I want to buy a night vision device, but I would like to learn more about night vision technology. Answer: See advice on night vision Question : Can this monocular be combined with a telescope? Answer: Yes, the kit includes a telescope mount (interconnect rings) that allow you to connect the night vision monocular with practically any telescope. Question : Can this monocular be put on the head? Answer: Yes, proper head mounting is offered separately.