

teleskopy.pl



The Swarovski EL series binoculars set new standards due to their innovative design, excellent optical parameters and unrivaled mechanics. The binoculars used many innovative solutions, unparalleled in models from other manufacturers.

Usage scenery birds hunting planes astronomy EL 8x32 WB EL 10x32 WB EL 8.5x42 WB EL 10x42 WB
 Magnification 8x 10x 8,5x 10x Diameter of the lenses (mm) 32 32 42 42 Diameter of the lenses (inches) 1.26
 1.26 1.65 1.65 Diameter of the exit pupil (mm) 4.0 3.2 4.9 4.2 Diameter of exit pupil (inches) 0.16 0.13 0.19 0.17
 Retraction of the exit pupil (mm) 15 12 18 15 Retraction of the exit pupil (inches) 0.59 0.47 0.71 0.59 Actual field
 of view (m / 100 m) 140 120 130 110 Actual field of view (ft / 1000 yds) 420 360 390 330 Actual field of view (°) 8
 6.9 7.4 6.3 Visible field of view (°) 62 65 62 63 The minimum range of sharpening (m) 2.1 2 2.5 2.5 Minimum
 range of sharpening (ft) 7 7 8 8 Diopter adjustment (D) -3 + -3 + -3 + -3 + The distance between the pupils (mm)
 56-74 56-74 56-74 56-74 The distance between the pupils (inches) 2,2-2,91 2,2-2,91 2,2-2,91 2,2-2,91 Twilight
 efficiency (DIN 58388) 16 18 19 21 Length (mm) 138 136 165 158 Length (inches) 5.4 5.4 6.5 6.22 Width (mm)
 114 114 123 123 Width (inches) 4.5 4.5 4.84 4.84 Height (mm) 60 60 64 64 Height (inches) 2.4 2.4 2.52
 2.52 Weight (g) 610 600 820 780 Weight (oz) 21.5 21.2 28.9 27.5 Other features / parameters â€¢ Operating
 temperature range: -20 to +55 ° C â€¢ Storage temperature range: -30 to +70 ° C â€¢ Water tightness: up to a depth of 4m
 (filled with nitrogen) Warranty 10 years